



Setting up your SLEEP NUMBER® foundation is the first step toward a customized sleeping experience. It can be quickly and easily completed without tools.


before you begin

contents

Carefully check the contents of your foundation boxes and compare with the list below. Each component is clearly labeled with the part name and part number.


Side Rails

Quantity: King (4 each 1A and 1B)
Queen/Full (2 each 1A and 1B)




Support Beams

Quantity: 8 King
4 Queen/Full




End Beams

Quantity: 4 King
2 Queen/Full



Deck Panels

Quantity: 4 King
4 Queen/Full



Pin Components

Quantity: 4 King
2 Queen/Full



Fabric Coverlet

Quantity: 1 King
1 Queen/Full
(Packaged in the mattress box)



If you purchased a bed frame, assemble it first. Then assemble your foundation and assemble your mattress last. Your foundation should be assembled directly onto your bed frame or on the floor.

Some bed frames have slats that run from one side of the bed to the other. If your bed frame has slats, position the slats evenly to support the foundation. If your bed frame has fewer than three slats, we recommend adding additional slats to ensure adequate support for your foundation.

Carefully Check the Contents of Your Mattress Boxes

If you're missing any items, please call Customer Service.


Caution

With some styles of bed frames, the foundation length may extend beyond the frame's support legs. This situation makes it possible for the frame to tip when significant weight is placed at the foot of the bed. Please use caution when sitting or otherwise placing weight on the foot of the bed when using these type of frames.

1 Connect Side Rails

- a) Push the components labeled 1A SIDE RAIL and 1B SIDE RAIL together on the floor to form a secure connection.


King foundation: complete the assembly of one foundation unit. Assemble the second unit, then move the units into place on the bed frame side by side.



2 Insert Pin

- a) Locate the two PIN components contained in the plastic bag.
- b) Slide a pin, "T" end up, into the channel at the center of the connections completed in step 1.


NOTE:
KING AND CALIFORNIA KING FOUNDATIONS CONSIST OF TWO TWINS SIDE BY SIDE.



3 Insert End Beams

- a) Slide the components labeled END BEAM into the last set of channels of the side rails, making sure the SELECT COMFORT® logo faces out and the tabs are on top as shown.


The joints may fit tightly, so push the beams down firmly until the top edges of all four corners are flush.



4 Insert Support Beams

- a) Slide two of the components labeled SUPPORT BEAM (with tabs up) into the two center channels of the side rails. For each beam, match end "A" with channel "A" and end "B" with channel "B."
- b) Slide the remaining Support Beam components into the next set of channels of the side rails, making sure the tabs are up and all beams are flush with the top of the side rails.

Queen model shown.




It is best to insert each end partially into the channels before pushing the beam all the way into place.

5

Place the Deck Panels


- Locate the components labeled DECK PANEL. Queen/Full will have four panels, labeled left and right, with one of each sliding on from each side. Twin has two panels, with one panel sliding on from each side.
- Approach the foundation base from the side, holding a deck panel with the Select Comfort® logo facing you, making sure the rounded corner of the deck panel matches with the corner of the base assembly.
- Set the panel onto the base so that the side nearest you overhangs the edge by about 2 inches. It should rest smoothly on the base in this position; if not, move the panel back and forth slightly until it does.
- Pressing down on the far edge of the panel with one hand, use your other hand to slide the panel in until it locks into place.



6

Final Steps

- Slip the fabric coverlet over the corner edges of the foundation with the fabric side facing out and gray material on the inside (don't try and pull the coverlet down completely). Work one corner of the coverlet down an inch or two on the foundation, then do the same thing to the remaining three corners. Repeat this process until the coverlet is completely over the foundation.
- Put on your dust ruffle if you have one.



You're Done!

Now go to the Mattress Assembly section to complete the set up of your new SLEEP NUMBER® bed.

What if I can't get my center support beams flush with the side rails?

Make sure the letter on the center support beam matches the side rail. For example, the end of the center beam labeled "A" should connect to the side rail with the "A" on it.

How can I get my pins in all the way?

All pins are wider at one end and narrower at the other end. Make sure the "T" end is up and the narrow end goes into the side rail first. You may need to use a bit of force to get it in (like stepping on it with your foot).

What can I do if I can't get the deck panels to lay flat?

First, make sure all the pins and beams are flush. Then, set the deck panel over the first set of notches. You should then be able to slide the panel into place.



Congratulations on the successful assembly of your foundation. Now you are ready to assemble your SLEEP NUMBER® mattress. It can be quickly and easily completed without tools.

before you begin

Carefully Check the Contents of Your Mattress Boxes


If you are missing any items listed on the following page, please call Customer Service.

Orientation

These instructions refer to “left” and “right” as if you are standing at the head of the bed looking toward the foot of the bed.

Using a Surge Protector

To protect your Firmness Control™ System against unexpected power surges, we recommend using a surge protector that is listed to UL® 1449 with clamping voltage of 330 volts, and a joule rating of 700 or higher. The Firmness Control™ System can be plugged directly into a wall outlet; however, a surge protector provides added protection for your electronics. Please note your 20-Year Limited Warranty does not cover damage to the Firmness Control™ System due to a power surge, regardless of source. See the Limited Warranty on page 15 for more details.




It is wonderful! After only one night, we both commented that we had the best night's sleep in years!

*Lowell S.
Flagstaff, AZ*


contents

Mattress Cover



Foam Border Walls

2 long, 2 short




Corner Lock™

Package of 4




Air Chambers

2 for dual chamber models, 1 for single chamber models




Firmness Control™ System with Remote

See p.10 for remote control operation



Center Foam Wall


Dual chamber models only



1


Position Mattress Cover

- Place MATTRESS COVER on top of the foundation or bed platform.
- Unzip the top of the cover and set it aside.
- Holes in the bottom of the cover should be at the head of the mattress and the SLEEP NUMBER® bed label will be at the foot of the mattress.
- Place a CORNER LOCK™ in each corner of the mattress cover.

**2**


Install Foam Border Walls

- Place the two long FOAM BORDER WALLS along the left and right sides of the Mattress Cover as shown below.
The ends of the Foam Border Walls should fit snugly inside the Corner Lock™ and run the entire length of the bed.
- Place the shorter Foam Border Walls in between the longer border walls at the head and foot of the bed.
- Make sure the border walls are connected securely and squarely.

**4**

Connect Firmness Control™ System


- Place the FIRMNESS CONTROL™ SYSTEM on the floor at the head of the bed and plug the power cord into an electrical outlet.
- Pass the end of each hose through the small opening at the base of the Mattress Cover and under the Foam Border Wall to its corresponding chamber.
(The hose marked "L" connects to the left chamber, unmarked hose to the right.)
- Press hose connections together until they "click."

**5**

Inflate Air Chamber(s)

- Press and hold the ▲ arrow on the remote to begin inflating the mattress.
- For dual chamber models, after the first chamber is inflated, repeat for second chamber.

Then, insert the CENTER FOAM WALL between the chambers, centering it between the head and foot of the bed.




3

Install Air Chamber(s)

- a) Lay the AIR CHAMBER(s) in the mattress cover so the Hose Connector(s) are on the bottom and face the head of the bed.
- b) Connectors will roughly align with the small openings at the base of the mattress cover.

Dual chamber model shown.



Where are the Caps for Air Chamber(s)?

The caps are in the Firmness Control™ System box. Please store these in case you should ever want to disassemble your bed and temporarily cap your air chamber(s).

What do I do if the motor doesn't run?

Make sure the power cord is securely plugged into the wall outlet. Check to see if the power cord is plugged into an outlet which has power and is not connected to an on/off wall switch.

Will my bed deflate if there is a power surge or power loss?

No, your mattress will maintain its firmness. To protect your Firmness Control™ System, we do recommend using a surge protector.

What if I notice a rubber smell from the air chamber?

The odor you may smell is non-toxic and will fade over time. To minimize the smell, allow the air chamber to air out for a few hours and then lay a couple of dryer sheets on top of the air chamber.

What if I feel like I'm rolling toward the edge or toward the center of the mattress?

Although rare, these sensations could potentially be experienced if one side of the mattress is set quite firm and the other side quite soft. Call Customer Service for a remedy to this situation if it is bothersome to you.

IMPORTANT SAFETY INSTRUCTIONS

- EXERCISE CAUTION when plugging the cord into an electrical outlet.
- DO NOT plug in the power cord with wet hands
- DO NOT place the power cord in a high traffic area or near any heat source, such as a heat register, radiator, stove or heater
- DO NOT allow the power cord to be walked on or pinched
- DO NOT operate the Sleep Number® bed with a power cord or plug that has been damaged in any way or if the Firmness Control™ System has been damaged.
- DO NOT unplug by pulling the power cord.
To unplug, pull by the plug.


To protect the product from possible damage, it is recommended that the product be unplugged during lightning storms or when unused for long periods of time.

6

Final Steps

- a) Zip on the top of the Mattress Cover.

You're Done!





Congratulations on the successful assembly of your SLEEP NUMBER® bed. Now you are ready to find your comfort level.

before you begin

Unlike innerspring mattresses, the Sleep Number® bed can be personalized at any time to the changing condition of your body. Some reasons to alter the firmness of your bed include:

- strained muscles
- back pain
- weight change
- pregnancy
- bad sunburn
- new sleep position

In addition to personalizing your bed for a great night's sleep, you can also alter the mattress firmness when you wake in the morning in order to:


- facilitate getting out of bed, if needed
- achieve a “fuller” bed appearance

Dual Adjustability

If you purchased a dual chamber model, you have the ability to personalize each side of your Sleep Number® bed. Since no two body types are the same, each sleep partner should find their own comfort level.

The “L” buttons on the remote correspond to the left side of the the bed (left is determined when laying on your back on the bed). The “R” button corresponds to the right side.

Sleep Number® Firmness Control™ System



1 Wired Remote

- ← Firmer (top button)
- ← Softer (bottom button)

Setting Your Sleep Number®

STEP 1. Lie on The Sleep Number Bed by Select Comfort™ in your normal sleep position, holding your remote.

STEP 2. Press any button on the remote to “wake” it up. Within 3 seconds, it will display the current Sleep Number® setting. If you’d like to make the bed softer or firmer press and hold the ▲ or ▼ button until you’re comfortable. When you release the button,



the new Sleep Number® setting will be displayed. Continue until perfectly comfortable. The number displayed is your personal Sleep Number®.

If you would like to experiment further with your Sleep Number® setting, refer to the information on page 12. It sometimes takes several nights of sleeping at different settings to discover your ideal Sleep Number®.

*During my pregnancy
this bed has been super!
It adjusted as I grew,
helping me get to sleep
during the most
sleepless times.*

*Therese V.
Abilene, TX*

Making changes to your Sleep Number®

What is a Sleep Number®?

Your SLEEP NUMBER® is a setting between zero and 100 that represents the ideal combination of mattress comfort, firmness and support for your body, giving you the best night's sleep possible.

The Simple Step-by-Step Process


Sleep Number® Firmness Control™ System

- STEP 1. Lie down on your Sleep Number Bed by Select Comfort™ in your normal sleep position, holding your remote.
- STEP 2. Start by setting the Sleep Number® to 50 on the remote.
- STEP 3. Take time to evaluate your comfort (see diagram at right).
- STEP 4. If you like the feel of the mattress at 50, go to Step 5. If you find that this setting is too firm or too soft, change your Sleep Number® in increments of 5. Reevaluate your comfort level after each change. Once you have found a Sleep Number® setting where you feel comfortable, log this number into your Sleep Journal.
- STEP 5. Try to sleep at this Sleep Number® for a minimum of five nights. It will take your body that long to become accustomed to a new sleep surface. After five nights, reevaluate your comfort level and log this into your Sleep Journal. If you need to make adjustments to your Sleep Number® setting, repeat steps 4 and 5.

How it Should Feel and Look

As you are customizing The Sleep Number Bed by Select Comfort™ for your optimum comfort level, lie down on your mattress in your normal sleep position. Now, determine how you feel as compared to the diagrams below and make adjustments to your firmness or pillow if needed.

evaluate your comfort level



RIGHT

- Neck and back are aligned in the same position as when you are upright.
- No discomfort at shoulder and hip pressure points.
- You feel the mattress support the small of your back (back sleepers) or the curve of your side (side sleepers).



WRONG

- Body alignment is not straight.
- Your pillow* makes your head tilt at an angle to the rest of your body.
- You feel discomfort from pressure at your neck, shoulders, back, hips or legs.

* Your pillow should help keep your body aligned properly, otherwise it may interfere with your ability to sleep comfortably. Visit our Web site or one of our stores to see the extensive selection of innovative pillows we carry.

If, after trying four different Sleep Number® settings, you have not found your ideal Sleep Number®, please call a Customer Service Representative at 1-800-790-9298. Our trained Customer Service Representatives may be able to recommend adjustments, make suggestions, or pinpoint concerns that might be contributing to less than ideal comfort. *Improving your sleep is our expertise.*

••] Sleep Journal [••

Sleeper #1			Sleeper #2		
Sleep Number [®]	Number of Nights	Description of Sleep Quality	Sleep Number [®]	Number of Nights	Description of Sleep Quality

What if I'm not comfortable at the Sleep Number[®] I was given when I purchased my Sleep Number Bed by Select Comfort[™]?

Since you probably only spent a few minutes getting your SLEEP NUMBER[®] in the store or through other means, you may find that you need to explore other settings in order to pinpoint your ideal comfort level. Please use the easy step-by-step process on this page to set your Sleep Number[®]. If you still do not feel comfortable after going through this process, contact a Customer Service Representative. Please have your Sleep Journal with you when you call so you can tell your representative what settings you have used.


Why do my numbers fluctuate?

It is normal for the numbers on your remote to fluctuate slightly and it is not necessary to make any adjustments. Some reasons for the numbers to fluctuate include: weight differences on the bed, change in sleeping position, heat from an electric blanket, change in room temperature or weather.

However, if you notice that your bed is getting softer night after night and your Sleep Number[®] consistently gets smaller, check to make sure that you have a tight connection between the hose and the air chamber. You should hear it “click” when it connects.

Sleep Number[®] Study

As you can see, Sleep Number[®] bed owners find comfort at all settings from 0–100, however the majority of sleepers find their Sleep Number[®] between 35–50.



As we get older our aches and pains change. Being able to adjust to these conditions make a big difference in our sleep comfort.

*Carl S.
Round Rock, TX*



We have over four million satisfied customers sleeping on our beds and we have heard about every unique sleeping situation imaginable. It is important to us that you are getting the best sleep possible. If you are not completely comfortable on your new bed or have any other questions, we can help. Please log onto www.selectcomfort.com and click on Customer Center, e-mail our Customer Service at customerservice@selectcomfort.com, or call 1-800-790-9298.

mattress care

Mattress Care

The cover of your SLEEP NUMBER® mattress may be spot cleaned with carbonated water or mild detergent. Do not dry clean the mattress cover or put it in a washing machine. Also, please do not apply stain-guard, as it may cause yellowing of the fabric.

Select Comfort is a leader in the industry in the use of materials designed to inhibit the growth of allergens or microorganisms that, in rare circumstances, can form inside any mattress, bedding, pillow or upholstered product.

Advanced antimicrobial safeguards are incorporated into every Sleep Number® bed. Key components of the mattress have been treated to protect the bed from contaminants such as mold, mildew and bacteria growth. The unique, zip-open design of the Sleep Number® bed allows you to easily open and view the inside of our bed, and ventilate or vacuum, if you choose.

In rare instances under the right conditions, mold or mildew can form inside many types of mattresses, bedding or upholstered products. Should this condition occur in your mattress, please contact our customer service department so we can work with you to return your bed to factory fresh condition. If you have particular sensitivities to dust mites, mold or mildew, you should exercise care to minimize any direct exposure to these allergens. Select Comfort is dedicated to your sleep and satisfaction, and the unique, modular construction of the Sleep Number® bed makes it easy for us to remedy the situation for you.

Transporting Your Sleep Number® Bed

Your Sleep Number® bed is lighter than any conventional bed, making it much easier to move. If you are transporting your bed, we recommend complete disassembly and packing in protective boxes. If you are using professional movers and want to keep the chambers inflated, use the caps provided to cap off the air chambers, and place your mattress and foundation in mattress packing boxes. In either case, be sure to box and protect your Firmness Control™ System. Our Customer Service Department can also provide additional tips on packing.

Important Note Regarding use of the Sleep Number® bed in RVs:

Select Comfort manufactures a unique Sleep Number® bed model that complies with Federal Motor Vehicle Safety Standards for RVs and automobiles. Rapid changes in altitude may affect the air pressure inside the mattress. The air chamber may be damaged if the pressure becomes too great. If you plan to travel with your Sleep Number® bed into mountainous regions, either (1) temporarily disconnect the mattress from the pump hose to allow air to escape or (2) partially deflate the mattress chamber to a Sleep Number® of 20.

Creating a Healthy Sleep Environment

An estimated 50 million Americans suffer from allergies, and the bedroom presents some especially difficult challenges. A few simple steps you can take to create a healthy sleep environment include:

- ✓ Use a dehumidifier to reduce any potential mold and mildew growth. Keep humidity levels under 60 percent.
- ✓ Use a high-quality mattress pad to protect your mattress from moisture. You may want to consider a waterproof mattress pad if you perspire heavily while sleeping.
- ✓ Use allergen covers on pillows and mattresses to reduce dust mites, which can trigger allergies and asthma. Wash bedding weekly in hot water.
- ✓ Vacuum the bedroom regularly, using a high-quality vacuum cleaner such as one with a HEPA filter, one that does deep cleaning, or a central vacuum system.
- ✓ Wait 20-30 minutes before making your bed each morning, turning the covers back and allowing the mattress to air out for a bit.
- ✓ If possible, avoid placing your bed on an outside wall or above an air conditioning or heating vent, which can cause condensation and increase the likelihood of mold growth in many mattresses.
- ✓ You could also use a high-quality electronic air purifier to remove additional airborne particulates from the bedroom.

Please note: Ozone generators ARE NOT recommended for use in the same room with the Sleep Number® bed, as they can degrade components of the bed over time.

Defective or Damaged Components

If any component of the mattress or foundation is found to be defective in materials or workmanship within first two years of the original purchase date, they will be replaced by Select Comfort at no cost to you. Within the first two years, all shipping charges to replace a defective component will be covered by Select Comfort.

If any component of the mattress or foundation is found to be defective in materials or workmanship after two years from the original purchase date, the terms of the limited warranty below will apply. After two years from the date of purchase, you will be responsible for the cost of shipping the defective component back to Select Comfort and any related costs. Contact our Customer Service Department at 1-800-790-9298 for troubleshooting assistance and if you need to process the replacement order.

We recognize the fact that components may break, become soiled or unusable and may not be covered under the warranty. As long as you own our bed and can provide proof of purchase, you can purchase replacement components. All component sales are final and carry a 2-year Limited Warranty from the purchase date. Product discounts and accessory promotions do not apply to components. Call our Customer Service department for current pricing and to process the component purchase.

Return Policy

We hope you are completely satisfied with your SLEEP NUMBER® bed, but if you are not, contact QVC. They will be able to provide you with further details.

LIMITED WARRANTY

What is covered:

- Select Comfort warrants that your mattress and/or foundation will be free from defects in materials and workmanship for a period of 20 years from the original purchase date.
- Warranty is limited to product repair or replacement only.

What is not covered:

- Conditions arising from normal wear and tear. (Conditions arising from normal wear and tear include, but are not limited to: mattress cover compression, foam compression, or discoloration of components.)
- Damage from tampering with any component, or opening the Firmness Control™ System.
- Damage from misuse or abuse of the warranted product or component.
- Damage from laundering or dry-cleaning.
- Acts of God, such as but not limited to lightning damage.

What you must do:

- Return the warranted product or component in sanitary condition to an authorized SELECT COMFORT® service center. Select Comfort will incur the cost of shipping up to two years after the original purchase date; after two years, the return shipping to Select Comfort will be at the customer's expense.
- Please telephone our Customer Service Department to locate the nearest authorized service center and arrange for the return of the warranted product or component.

What we will do:

- Select Comfort, at its option, will repair or replace the defective product or compo-

nent at a cost to the original purchaser based on the following table. The "price" is the price of the defective product or component at the time the warranty claim is made, or the price of a comparable product or component if the original product or component is no longer in production.

Years After Original Purchase Date	Original Purchaser's Cost
Up to 2 years	No Cost
2-20 years	20% plus 4% of price for each year from original purchase date.

- For example, if a warranty claim arises 12 years after the original purchase date, the cost to the original purchaser would be 68% of the price (that is, 20% plus 4% for each of the 12 years) and Select Comfort would be responsible for the remaining 32% of the price.
- Select Comfort reserves the right to substitute products or components of equal or better quality, and to use or deliver refurbished products or components in the repair or replacement of any product under this limited warranty.

What will void this warranty:

- Tampering with any component, or opening the Firmness Control™ System and its hand control unit.
- Misuse or abuse of the warranted product or component.
- Sale, transfer or other disposal of the warranted product or component.

Limitations:

- Your exclusive remedy, IN LIEU OF ALL INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, INCLUDING FOR NEGLIGENCE, is limited to repair or replacement of any product or component

deemed to be defective under the terms and conditions stated above. Select Comfort will bear no other damages or expenses.

- Customer maintains responsibility for installation of parts replaced under terms of the warranty.
- Select Comfort reserves the right to refuse to repair or replace any product or component that is returned in an unsanitary condition.
- This Limited Warranty applies only to the product as used in the United States and Canada. It is not applicable in U.S. territories or other countries.
- This Limited Warranty is non-transferable.
- Repair or replacement of a product or component under the terms of this limited warranty in no way lengthens the limited warranty period.
- ANY IMPLIED WARRANTIES APPLICABLE TO THIS PRODUCT, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE DURATION OF THIS WRITTEN LIMITED WARRANTY.

Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above limitations may not apply to you. This warranty gives you specific legal rights and you may also have other rights, which vary from state to state.

All claims relating to the limited warranty of Select Comfort® products should be made by contacting Customer Service at 1-800-747-5301 or writing to Select Comfort Customer Service, 6105 Trenton Lane North, Minneapolis, MN 55442.